


RIVA STOOL

www.papatya.com.tr



METAL FINISH



101 White 103 Anthracite 104 Taupe 117 Wenge 118 Warm Grey

**Powder Coated(mat) strengthened against rusting and scratches with cataphoresis application.*

CORD FINISH



Stone Taupe Anthracite Marine Sunset Forest

Net Weight

Gross Weight

Max. stacking

Cardboard Packaging

Shipment Details

(kg)
2.16

(kg)
6.70

2

430
2
680 680

20' : 240 pcs.
40' : 510 pcs.
40HC : 612 pcs.
100cbm : 684 pcs.

Cleaning & Maintenance

Should be cleaned with detergent and a soft damp cloth. Should not be cleaned with abrasive chemicals. No periodic maintenance required.

Product Quality Certificate



ISO 14001
ENVIRONMENTAL
MANAGEMENT SYSTEM



ISO 45001
OCCUPATIONAL HEALTH and
SAFETY MANAGEMENT SYSTEM




ISO 9001 QUALITY MANAGEMENT

GROUP A

NATTE BY SUNBRELLA

Environmental Certificates


Certified Greenguard
Oeko-Tex Standard 100



10022 GREY CHINE



10063 CHARCOAL
CHINE



10152 GRAUMEL
CHALK

GROUP B

NEST BY RECASENS

Environmental Certificates

Phthalate free
Certified Greenguard
Oeko-Tex Standard 100



NTSFAB Snow



NTSFAB Argent



NTSFAB Titanium

GROUP C

ETERNAL BY RECASENS

Environmental Certificates

Phthalate free
Certified Greenguard
Oeko-Tex Standard 100



ETFAB Phoenix



ETFAB Tapenade



ETFAB Vulcano

GROUP C

PANAMA BY AGORA

Flame Resistance Certificates

UNE 1021 PARTS 1-2 IMO PEF 2010 Anex 1. Part 8 BS 5852 Cigarette & Match



%100
SOLUTION
DYED
ACRYLIC




SOFT
TOUCH



OUTDOOR
USAGE



03658 CLOUD



08013 GRAFITO



03659 FOSSIL



08004 MENTA

GROUP C

NOBLESS BY RECASENS

Environmental Certificates

Phthalate free

Certified Greenguard

Oeko-Tex Standard 100



%100
SOLUTION
DYED
ACRYLIC



SOFT
TOUCH




OUTDOOR
USAGE



NBLFAB Argent



NBLFAB Titanium



NBLFAB Storm