


LOTUS SQUARE


www.papatya.com.tr



400x400 table base



690x690
590x590



690

Applicable table tops

adjustable foot



(kg)
135

1 pcs.
cartoon box


m³ 0.033



400x400 bar table base



590x590



590

Applicable table tops

adjustable foot




(kg)
14.5

1 pcs.
cartoon box


m³ 0.049



400x400 side table base



690x690
590x590
490x490



690 / 590 / 490

Applicable table tops

adjustable foot



(kg)
12.5

1 pcs.
cartoon box


m³ 0.022




LOTUS SQUARE

www.papatya.com.tr

450x450 table base



790x790



890 / 790

Applicable table tops


adjustable foot




(kg)
17



450x450 bar table base



690x690
590x590




690 / 590

Applicable table tops


adjustable foot



(kg)
17.5



750x400 table base




1390x790
1190x790
1190x690

Applicable table tops

adjustable foot




(kg)
26.5



LOTUS SQUARE

www.papatya.com.tr

750x400 table base



1190x690

Applicable table tops

adjustable foot



(kg)
28

1 pcs.
cartoon box

m³ 0.049



Material



















Base

Powder coated iron
strengthened against rusting and scratches with cathoporesis application

Column

Powder coated teel tube
strengthened against rusting and scratches with cathoporesis application

Available Colours

-   101 White Powder Coated (mat)
-   102 Black Powder Coated (mat)
-   103 Anthracite Powder Coated (mat)
-   104 Taupe Powder Coated (mat)
-   111 Brick Red Powder Coated (mat)
-   112 Green Powder Coated (mat)
-   110 Yellow Powder Coated (mat)
-   115 Grey Powder Coated (mat)
-   117 Wenge Powder Coated (mat)

Certification, labels, warranty



High level outdoor
Resitance



Corrosion Resistant



2 Years
Warranty



Cathoporesis
Coating



* Dimensions are in mm.