





480x480 table base



690x690
590x590



690 / 590

Applicable table tops

adjustable foot




(kg)
5.5




m³ 0.038



480x480 side table base



690x690
590x590
490x490



690 / 590
490

Applicable table tops

adjustable foot




(kg)
5




m³ 0.03



630x630 table base



790x790



790

Applicable table tops

adjustable foot




(kg)
6.4




m³ 0.03



630x630 bar table base



690x690
590x590



690 / 590

Applicable table tops

adjustable foot



(kg)
7


1 pcs.

m³ 0.06



cartoon box

800x600 table base



1390x790
1190x790
1190x690

Applicable table tops

adjustable foot



(kg)
11

1 pcs.

m³ 0.035




cartoon box

Recommended Base Position

We always recommend that for the center base you attach the base to the top so the legs follow the diagonal of the top. If you choose to fix your tops to the base with the legs in cross direction, you need to use one size smaller bases than recommended for square tops otherwise the legs will be wider than the top.



correct



incorrect

Material



















Base

50x30x2mm powder coated profile
strengthened against rusting and scratches with cataphoresis application

Column

Powder coated steel tube, strengthened against rusting and scratches with cataphoresis application

Available Colours

-   **101 White Powder Coated (mat)**
-   **102 Black Powder Coated (mat)**
-   **103 Anthracite Powder Coated (mat)**
-   **104 Taupe Powder Coated (mat)**
-   **111 Brick Red Powder Coated (mat)**
-   **112 Green Powder Coated (mat)**
-   **110 Yellow Powder Coated (mat)**
-   **115 Grey Powder Coated (mat)**
-   **117 Wenge Powder Coated (mat)**

Cleaning & Maintenance

Should be cleaned with detergent and a soft damp cloth. Should not be cleaned with abrasive chemicals.
No periodic maintenance required.

Certification, labels, warranty



High level outdoor
Resistance



Corrosion Resistant



2 Years
Warranty



Cataphoresis
Coating